



## Village of Cottage Grove

---

JJ Larson – Director of Public Works/Utilities

210 Progress Dr., Suite 2  
Cottage Grove, WI 53527

Office: 608-839-5813

Cell: 608-209-8920

[jl Larson@village.cottage-grove.wi.us](mailto:jl Larson@village.cottage-grove.wi.us)

March 24<sup>th</sup>, 2017

DNR South Central Region  
Attn: Storm Water Program  
3911 Fish Hatchery Road  
Fitchburg, WI 53711

To Whom It May Concern:

Please find the enclosed 2016 Annual Report under MS4 General Permit No. WI-S050075-2 for the Village of Cottage Grove. It was presented to the Village Board for discussion and comment on Monday, March 20<sup>th</sup>, 2017. If you have any questions or concerns, please feel free to contact me.

Regards,

A handwritten signature in blue ink, consisting of stylized initials and a long horizontal flourish.

JJ Larson

**Due by March 31, 2017**


**Notice:** Pursuant to s. NR 216.07(8), Wis. Adm. Code, an owner or operator of a Municipal Separate Storm Sewer System (MS4) is required to submit an annual report to the Department of Natural Resources (DNR) by March 31 of each year to report on activities for the previous calendar year. This form is being provided by the DNR for the user's convenience. Personal information collected will be used for administrative purposes and may be provided to the extent required by Wisconsin's Open Records Law [ss. 19.31-19.39, Wis. Stats.].

This form is for reporting on activities undertaken in calendar year 2016.

**Instructions:** Complete each section of the form. If additional space is needed, attach additional pages. Provide descriptions that explain the program actions taken to comply with the general permit. Complete and submit the annual report by March 31, 2017, to the appropriate address indicated on the last page of this form.

<b>Part I. Municipal Information</b>			
Name of Municipality Village of Cottage Grove		Facility ID No. (FIN) 30921	
Mailing Address 221 East Cottage Grove Road	City Cottage Grove	State WI	ZIP Code 53527
County(s) in which Municipality is located Dane	Municipality Type: (select one) <input type="radio"/> County <input type="radio"/> City <input checked="" type="radio"/> Village <input type="radio"/> Town <input type="radio"/> Other (specify)		

<b>Part II. Municipal Contact Information</b>			
Name of Municipal Contact Person JJ Larson		Title Director of Public Works/Utilities	
Mailing Address (if different from above)	City	State WI	ZIP Code
Email jlarson@village.cottage-grove.wi.us	Phone Number (include area code) (608) 839-5813	Fax Number (include area code) (608) 839-1603	
Has the contact person changed in the last year? <input type="radio"/> Yes <input checked="" type="radio"/> No			

<b>Part III. Certification</b>			
<i>I hereby certify that I am an authorized representative of the municipality covered under MS4 General Permit No. WI-S050075-2 for which this annual report is being submitted and that the information contained in this document and all attachments were gathered and prepared under my direction or supervision. Based on my inquiry of the person or persons under my direction or supervision involved in the preparation of this document, to the best of my knowledge, the information is true, accurate, and complete. I further certify that the municipality's governing body or delegated representatives have reviewed or been apprised of the contents of this annual report. I understand that Wisconsin law provides severe penalties for submitting false information.</i>			
Authorized Representative Printed Name JJ Larson	Authorized Representative Title Director of Public Works/Utilities		
Signature of Authorized Representative 	Date 3/04/17		
Email jlarson@village.cottage-grove.wi.us	Phone Number (include area code) (608) 839-5813	Fax Number (include area code) (608) 839-1603	

**Part IV. General Information**

a. Describe the municipality's efforts to invite the municipal governing body, interest groups, and general public to review and comment on the annual report.

The Village of Cottage posts agendas and meeting minutes on its website at:

<http://www.village.cottage-grove.wi.us/AgendaCenter>

Agendas are typically posted two or three days in advance of meetings. The agenda for the Village Board meeting on March 20th included review of the draft annual report on the agenda. Members of the public are free to attend any meeting of the Village Board and may address the board on any issue during the open microphone portion of the meeting as well as during board discussion regarding specific items on the agenda.

b. Describe how the municipality has kept elected and municipal officials and appropriate staff (such as operators, department heads, and those that interact with the public) informed of the municipal storm water discharge permit and its requirements.

The Village conducted two public meetings conducted by staff, the Village's consulting City Engineer, and elected officials to discuss specific stormwater issues.

On March 16, 2016, the Village held a regular Utility Commission meeting where a presentation was given by a representative of Madison Metropolitan Sewerage District (MMSD) regarding MMSD's Adaptive Management

Program and the benefits to the Village of participating in the program. The Village's consulting engineer presented a summary of the Village's obligations for stormwater management and the current level of water quality treatment achieved by the under the Village's WPDES permit inclusive of recommendations from the Rock River TMDL. Subsequent to this meeting the Village entered into an agreement with MMSD to partake in the Adaptive Management Program.

On May 16, 2016, the Village held a regular Board of Trustees meeting where a presentation was made by the Village's consulting engineer regarding major revisions to Village stormwater management ordinances including Chapter 163- Erosion, Sediment & Water Runoff Control (Construction Site Erosion and Sediment Control and Post-Construction Stormwater Management) and a very minor revision to Chapter 164 (ordinance name change) Illicit Discharge Detection and Elimination. Additional a revision was made to Chapter 183-Floodplain Zoning to refer to new FEMA floodplain maps. All revised ordinances were approved at that meeting.

Additionally, as stormwater issues arise, they are routinely discussed at the Public Works and Properties Committee meetings and are relayed to the Village Board by the committee's Board liaison, Public Works Director and Village Consulting Engineer.

- c. Has the municipality prepared or updated its own municipal-wide storm water management plan during the reporting year?  
 Yes  No

If yes, provide the title and date of storm water management plan and list any updates:

If yes, has the information been submitted to the Department?  Yes  No

- d. During the reporting year, has the municipality entered into a written agreement with another municipality or a contract with another entity to perform one or more of the conditions as provided under section 2.10 of the general permit?  Yes  No

If yes, describe these cooperative efforts:

The Village entered into the full intergovernmental agreement with YaharaWINS, through the Madison Metropolitan Sewerage District (MMSD); contributing to a full-scale adaptive management approach to phosphorus reduction. The Village also has maintained its membership in the Madison Area Storm Water Partnership (MAMSWaP); which provides extensive Public Education and Outreach materials, events, and information to share.

If yes, has the information been submitted to the Department?  Yes  No

- e. If the municipality has an internet website, is there current information about or links provided to the MS4 general permit and/or the municipality's storm water management program?  Yes  No

If yes, provide web address:

<http://www.village.cottage-grove.wi.us/158/Stormwater-Management>

**Part V. Evaluation of Permit Conditions (Section 2 of General Permit)**

**Minimum Control Measures:** For each of the permit conditions listed below, provide an evaluation of program compliance with the general permit.

1. Public Education and Outreach (Section 2.1 of General Permit)

Description of Program(s)	The Village Community Guide is distributed in the local newspaper and available at the Municipal Services Building, Village Hall and number of area businesses and schools. A significant portion of the Public Works section of the guide is dedicated to stormwater/ water quality education. Website/Facebook page to share information will be increasing. As members of the Madison Area Stormwater Partnership (MAMSWaP) we have a number of tools to offer our citizens, educators and community groups.
Measurable Goal(s)	Number of Community Guides distributed. Facebook posts/likes/shares/comments. Number of website views and responses. Events attended, training/information requested.
Result(s) Achieved	
Describe any planned changes to program.	

2. Public Involvement and Participation (Section 2.2 of General Permit)

**Part V. Evaluation of Permit Conditions (continued)**

Description of Program(s)	Village staff will utilize the newly revamped website and the Village Facebook page to communicate with the citizens and stormwater outreach will be a major topic. Information will be shared on a regular basis to ensure readership and interest. And, as has always been the case, stormwater issues will be discussed regularly at open & posted Public Works and Properties Committee meetings of which any member of the public is free to attend.
Measurable Goal(s)	Views/shares/likes/responses to water-quality-related posts will be used to gauge interest. Attendance and involvement in advertised events and programs. Attendance at public meetings.
Result(s) Achieved	
Describe any planned changes to program.	

3. Illicit Discharge Detection and Elimination (Section 2.3 of General Permit)

Description of Program(s)	The Village conducts an annual inspection of storm sewer outfalls included in the City's MS4 system.
Measurable Goal(s)	Number of inspections completed. Number of informational posts shared/viewed/liked. Number of reports received via hotline and online submission; number of illicit discharges discovered and resolved.
Result(s) Achieved	Village staff inspected all outfalls in 2016
Describe any planned changes to program.	Staff will formalize illicit discharge inspections and inspection reporting in conjunction with other preventive management practices; utilizing apps based on GIS mapping. The Village will implement an illicit discharge telephone "hotline" and online form for citizen reporting in 2017.

4. Construction Site Pollutant Control (Section 2.4 of General Permit)

Description of Program(s)	Continue inspection program through contracted Village engineering firm.
Measurable Goal(s)	Number of inspections, corrective actions mandated.
Result(s) Achieved	The Village revised its construction site erosion control ordinance in 2016.
Describe any planned changes to program.	

5. Post-Construction Storm Water Management (Section 2.5 of General Permit)

Description of Program(s)	Continue design reviews and construction inspection program through contracted Village engineering firm.
Measurable Goal(s)	Number of inspections, corrective actions mandated.
Result(s) Achieved	Village revised its post-construction ordinance in 2016 to require developments to achieve the minimum TSS/TP reductions required by NR151 or the Rock River TMDL
Describe any planned changes to program.	

6. Pollution Prevention (Section 2.6 of General Permit)

Description of Program(s)	Catch basins are routinely inspected & cleaned. Village owns an Elgin Whirlwind Street Sweeper. All streets are swept in the spring, as-needed throughout the summer & all sweepings are disposed of at the Dane County Landfill; over 56 tons of street sweepings in
---------------------------	---

**Part V. Evaluation of Permit Conditions (continued)**

	2016. Leaves are swept in the fall and composted at the Landfill as well. 2017 goal to expand illicit discharge detection education and communication program. Expansion of platforms where water quality educational materials are shared.
Measurable Goal(s)	Number of reports from citizens. Increase tons of sweepings sent to landfill. Begin to track leaves hauled to landfill (weight, # of loads).
Result(s) Achieved	
Describe any planned changes to program.	The Village needs to complete a revised water quality modeling study to determine level of compliance with Rock River TMDL TSS and TP reductions.

• **Storm Water Management Facilities** (Section 2.6.1 of General Permit)

List any new municipality owned or operated structural storm water management facilities (ponds, biofilters, etc.) added in the last year.

In 2016 private development activities constructed five (5) stormwater management practices to serve the Westlawn Estates 4th Addition residential development. The Westlawn Estates site is located immediately north of the Glacial Drumlin Middle School off Damascus Trail in the northwest portion of the Village. This development includes four (4) wet detention ponds and one (1) infiltration basin. When completed each of these stormwater practices will be 'turned-over' to the Village who will have responsibility for on-going operation and maintenance. As of the date of this report, the Village's consulting engineer has not certified the as-built conditions of the ponds.

• **Routine Inspection and Maintenance** (Section 2.6.2 – 2.6.4 of General Permit)

Does the municipality have an inspection and maintenance program for installed structural storm water management facilities?

Yes  No

Describe the inspection and maintenance program and any activities that have occurred for structural storm water management facilities in 2016. If available, attach any additional information on the inspection and maintenance program.

Staff regularly inspect and clean all inlets, catch basins and stormwater outfalls throughout the Village. More formal documentation and tracking will be developed in conjunction with GIS mapping upgrades.

Describe the street sweeping and catch basin cleaning efforts, and the disposal of waste.

The Village operates an Elgin Whirlwind vacuum sweeper. All Village streets are swept twice per year; once in the spring and at least once in the fall as late in the season as possible to remove as many leaves as possible from the streets. Streets are also swept throughout the summer months on an as-needed basis. All street sweepings are contained on premises at the Municipal Services building (with erosion protection), until they are hauled to the Dane County Landfill for disposal. The Village's 2012 Stormwater Quality Assessment evaluated the Village's sweeping program (twice-per-year sweeping interval) and estimated that the sweeping program is capable of reducing annual TSS loads by 4.1%.

Catch basins are routinely inspected by field staff, and cleaned as need using the Village's Vactor truck. Catch basin cleaning is not estimated to represent a significant reduction in TSS loads.

• **Winter Road Management Activities** (Section 2.6.5 of General Permit)

Provide the name, title, and phone number of the individual(s) with overall responsibility for winter roadway maintenance. JJ Larson, Director of Public Works/Utilities, (608) 839-5813.

Describe the types of products used for winter road management (e.g. deicing, pre-wetting, salting, etc.).

Salt

Salt/sand mixture

Report the amount of product used by month over the last winter season (approx. November 2015 through April 2016).  
(note: last year's report mistakenly reported this salt usage from 2015-16).

Salt used (tons)

November 2015: 80

December 2015: 90

January 2016: 120

February 2016: 100

March 2016: 60

Report the snow disposal locations, if applicable.

Any snow that is required to be hauled is taken to the Village property known as Firemen's Park, along Grove St. An estimated 20 single-axle dump truck loads were taken to the site in 2016. This snow is taken from various cul-de-sacs and the downtown area where space for snow storage is limited.

Snow is allowed to melt naturally with warm spring weather. Snowmelt runoff has to flow overland for a distance of approximately 2,000 feet to reach the nearest mapped wetland and approximately 2,500 feet to reach the nearest mapped navigable waterway.

Describe anti-icing, equipment calibration, and salt reduction strategies.

Salt is used sparingly on local streets between intersections, depending on the specifics of a given snow event. Staff strives to use the least salt possible while still maintaining safe travel and stopping conditions. Staff will continue to weigh options for improving operations and reducing salt application.

Describe any other additional data or information used to evaluate the winter road management activities.

• Leaf Management (Section 2.6.6 of General Permit)

Describe the management of leaves and grass clippings.

The Village operates a compost drop off site, centrally located in the Village at 225 Bonnie Rd. The site is open from April through November, weather dependent, and allows Village residents a convenient place to drop off leaves, grass clippings and other compostable materials 24 hours a day, 7 days a week. The Village does not offer a formal leaf pick up program for residences, but does conduct street leaf clearing operations. Once there has been significant leaf drop in the fall, Village staff utilizes a payloader, skidsteer and dump trucks to remove leaves from gutter lines. This leaf clean-up is typically conducted twice through the Village (weather dependent) and can take about a week to complete each time. Leaf clean up is followed by thorough sweeping of all streets with the Street Sweeper. All material is hauled immediately to the Dane County Landfill.

• Municipal Pollution Prevention (Section 2.6.7 of General Permit)

Provide the location (street address) of each facility (municipal yards and/or maintenance facilities) and contact information (name, title, and phone number) for the individual(s) with overall responsibility for each facility.

Municipal Services Building, 210 Progress Dr.

Public Works Shop, 225 Bonnie Rd.

Contact: JJ Larson, Director of Public Works/Utilities, 608-839-5813.

Map(s) included?  Yes  No - Include a map of each facility, drawn to scale and include the following features:

- Location of major activities and storage areas
- Identification of drainage patterns, potential sources of storm contamination and discharge points.
- Identification of nearby receiving waters or wetlands
- Identification of connections to the permittees's MS4

Describe the housekeeping activities and best management practices installed at municipal yards and/or maintenance facilities to reduce or eliminate storm water contamination.

Street sweepings containment bin is located at the Municipal Services Building. The sweepings containment bin consists of uncovered concrete blocks outside, with erosion protection "socks" installed around the block to ensure containment. Bins for holding compostables (leaves, clippings, etc.) are assembled to contain material, inspected

**Part V. Evaluation of Permit Conditions (continued)**

daily, located far from any stormwater infrastructure and staff regularly hauls material to Dane County Landfill.

Discuss recommendations for improvements to current storm water management practices at the facility(s) and provide a timeline for installation and/or implementation of these recommendations.

Provide information on facility inspections. Identify and address potential sources of storm water contamination. Facilities are inspected daily by Public Works staff.

Describe the municipal facility(s) employee training on storm water pollution prevention (frequency, duration, objectives, percentage of employees trained this year, etc.).  
Village staff regularly attend trainings and events conducted by the Wisconsin Rural Water Association, Wisconsin Chapter of the American Waterworks Association, American Public Works Association and other groups dedicated to the protection of water quality.

Describe the spill prevention and response procedures in place at the municipal facility(s).  
Emergency spill kits are located in both facilities and staff are trained and experience with spill response.

7. Storm Water Quality Management (Section 2.7 of General Permit)

Has the municipality completed a pollutant-loading analysis to assess compliance with the 20% TSS reduction developed urban area performance standard?  Yes  No

If yes, provide the following: Model used WinSLAM Version 9.4.0 Reduction (%) 31

If no, include a description of any actions the municipality has undertaken during 2016 to help achieve the 20% standard.

8. Storm Sewer System Map (Section 2.8 of General Permit)

Describe any changes or updates to the storm sewer system map made in the reporting year. Provide an updated map if any changes occurred during the reporting year.

Village updates and GIS mapping implementation work will continue in 2017. All utilities; water, sanitary and stormwater should be completely updated into GIS maps by the end of 2017.

**Part VI. Fiscal Analysis**

a. Provide a fiscal analysis that includes the annual expenditures for 2016, and the budget for 2016 and 2017. A table to document fiscal information is provided on page 9.

The Village of Cottage Grove does not separate our individual items as called for on the worksheet; Village staff will work to more closely align budget lines with this form moving forward.

b. What financing/fiscal strategy has the municipality implemented to finance the requirements of the general permit?

Storm water utility  General fund  Other \_\_\_\_\_

c. Is adequate revenue generated to implement the storm water management program and meet permit requirements?

Yes  No

Please provide a brief summary of the municipality's financing/fiscal strategy and any additional information that will assist the Department in understanding how storm water management funds are being generated to implement and administer the storm water management program.

The Village of Cottage Grove funds stormwater work with General Fund dollars, there have been discussions at the Committee level of developing a stormwater utility but at this time the idea is unlikely to succeed. Stormwater projects have been routinely recommended by Committees to the Village Board, but are removed at the Village Board level.

Village Trustees are aware of the need to develop a revised stormwater quality plan to address the requirements of the Village's MS4 permit for portions of the Village not draining toward the Yahara River (addressed through MMSD's Adaptive Management program). Additionally, Trustees are aware that the revised plan is expected to identify shortfalls in TSS and/or TP reductions necessary to achieve the goals of the Rock River TMDL and that additional stormwater management practices will likely need to be constructed.

**Part VII. Inspections and Enforcement Actions**

**Note: If an ordinance listed below has been submitted to the Department previously and has not been amended since that time, a copy does not need to be submitted again. If the ordinance was previously submitted, indicate such in the space provided.**

- a. Has the municipality amended its illicit discharge detection and elimination ordinance in accordance with subsection 2.3.1 of the general permit during the reporting year?  Yes  No  
If yes, attach copy or provide web link to ordinance:  
<http://www.ecode360.com/14530632>
- b. Has the municipality amended its construction site pollutant control ordinance in accordance with subsection 2.4.1 of the general permit during the reporting year?  Yes  No  
If yes, attach copy or provide web link to ordinance:  
<http://www.ecode360.com/9761065>
- c. Has the municipality amended its post-construction storm water management ordinance in accordance with subsection 2.5.1 of the general permit during the reporting year?  Yes  No  
If yes, attach copy or provide web link to ordinance:  
<http://www.ecode360.com/9761065>
- d. Has the municipality adopted any other ordinances it has deemed necessary to implement a program under the general permit (e.g., pet waste ordinance, leaf management/yard waste ordinance, parking restrictions for street cleaning, etc.) during the reporting year?  Yes  No  
If yes, attach copy or provide web link to ordinance:
- e. Provide a summary of available information on the number and nature of inspections and enforcement actions conducted during the reporting period to ensure compliance with the ordinances described in a. to d. above.  
All new commercial and residential developments, during and after construction, are inspected by our building inspector/engineers for compliance regarding erosion control. Our Engineering consultant Erosion Control Inspector inspected sites at least every two weeks and immediately after every significant rain event. For 2016: there were six (6) open, commercial sites. A total of 113 site visit inspections were conducted, with no violations.

**Part VIII. Water Quality Concerns**

- a. Does any part of the MS4 discharge to an outstanding resource water (ORW) or exceptional resource water (ERW) listed under s. NR 102.10 or 102.11, Wis. Adm. Code? (A list of ORWs and ERWs may be found on the Department's Internet site at: <http://dnr.wi.gov/topic/surfacewater/orwerw.html>)  Yes  No  
If yes, list:
- b. Does any part of the MS4 discharge to an impaired waterbody listed in accordance with section 303(d)(1) of the federal Clean Water Act, 33 USC § 1313(d)(1)(C)? (A list of the most current Wisconsin impaired waterbodies may be found on the Department's Internet site at: <http://dnr.wi.gov/water/impairedsearch.aspx?status=303d>)  Yes  No  
If yes, complete the following:
  - Impaired waterbody to which the MS4 discharges:  
Koshkonong Creek; impaired for Total Phosphorus (approximately 60% of the Village drains to Koshkonong Creek).  
Door Creek; impaired for Total Phosphorus (approximately 40% of the Village drains to Door Creek).
  - Description of actions municipality has taken to comply with section 1.5.2 of the MS4 general permit for discharges of pollutant(s) of concern to an impaired waterbody:  
None.

- c. Identify any known water quality improvements in the receiving water to which the MS4 discharges during the reporting period.  
None
- d. Identify any known water quality degradation in the receiving water to which the MS4 discharges during the reporting period and what actions are being taken to improve the water quality in the receiving water.  
None
- e. Does any part of the MS4 discharge to an approved Total Maximum Daily Load (TMDL) area (Section 1.5.4 of the general permit)?  
 Yes  No

If yes, fill out below. If no, disregard.

*Required reporting for TMDLs approved prior to the effective date of the permit for 2016:*

Name of TMDL: Rock River Basin Date TMDL approved? 09/28/2011

Map(s) included?  Yes  No - Submit a storm sewer system map (may be the same map submitted under section V.6. of this form), which includes the TMDL reachshed boundaries and associated acreage within the municipality, and the MS4 drainage boundaries and associated acreage within the municipality.

### **Part IX. Proposed Program Changes**

Describe any proposed changes to the storm water management program being considered for 2017 and the schedule for implementing those changes. Proposed program changes must be consistent with the requirements of the general permit.

### **Part X. Other**

Any other municipal storm water program information for inclusion in the Annual Report regarding their storm water program may be added here or attached.

**Fiscal Analysis Table.** Complete the fiscal analysis table provided below.

Program Element	Annual Expenditure		Budget		Source of Funds
	2016	2017	2016	2017	
Public Education and Outreach					
Public Involvement and Participation					
Illicit Discharge Detection and Elimination					
Construction Site Pollutant Control					
Post-Construction Storm Water Management					
Pollution Prevention					
Storm Water Quality Management (including pollutant-loading analysis)					
Storm Sewer System Map					
Other: Professional Services	\$570	\$5,000	\$7,000	\$5,000	General Fund (taxes)
Other: Repair Contracts	\$125	\$1,500	\$1,500	\$1,500	General Fund (taxes)
Other: Operating Supplies & Expenses	\$1,391	\$500	\$500	\$500	General Fund (taxes)
Other: Improvements	\$8,860	\$17,000	\$5,987	\$17,000	General Fund (taxes)

<b>NORTHERN REGION COUNTIES</b>			<b>WEST CENTRAL REGION COUNTIES</b>		
Ashland	Langlade	DNR Service Center	Adams	Marathon	DNR Service Center
Barron	Lincoln	Attn: Storm Water Program	Buffalo	Monroe	Attn: Storm Water Program
Bayfield	Oneida	5301 Rib Mountain Rd.	Chippewa	Pepin	5301 Rib Mountain Rd.
Burnett	Polk	Wausau, WI 54401	Clark	Pierce	Wausau, WI 54401
Douglas	Price	Phone: (715) 359-4522	Crawford	Portage	Phone: (715) 359-4522
Florence	Rusk		Dunn	St. Croix	
Forest	Sawyer		Eau Claire	Trempealeau	
Iron	Taylor		Jackson	Vernon	
	Vilas		Juneau	Wood	
	Washburn		La Crosse		

<b>NORTHEAST REGION COUNTIES</b>			<b>SOUTH CENTRAL REGION COUNTIES</b>		
Brown	Marquette	DNR Northeast Region	Columbia	Jefferson	DNR South Central Region
Calumet	Menominee	Attn: Storm Water Program	Dane	LaFayette	Attn: Storm Water Program
Door	Oconto	2984 Shawano Ave.	Dodge	Richland	3911 Fish Hatchery Rd.
Fond du Lac	Outagamie	Green Bay, WI 54313	Grant	Rock	Fitchburg, WI 53711
Green Lake	Shawano	Phone: (920) 662-5100	Green	Sauk	Phone: (608) 275-3266
Kewaunee	Waupaca		Iowa		
Manitowoc	Waushara				
Marinette	Winnebago				

<b>SOUTHEAST REGION COUNTIES</b>		
Kenosha	Sheboygan	DNR Service Center
Milwaukee	Walworth	Attn: Storm Water Program
Ozaukee	Washington	141 NW Barstow Street,
Racine	Waukesha	Room 180
		Waukesha, WI 53188
		(262) 574-2100